

| | | |
|--|------------------------------------|--|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | Docket: 4239-61302 | App: Not Yet Assigned 10/01/2001 |
| | Applicant: Wolfrain and Letterio | |
| | Filed: Herewith 17 October 2001 | Art Unit: Not Yet Assigned 1647 |

U.S. PATENT DOCUMENTS

| Init.* | Number | Date | Name | Class | Sub | Filed |
|--------|-----------|-------------------|----------------------------|-------|-----|-------|
| CSN | 4,703,004 | October 27, 1987 | Hopp, <i>et al.</i> | | | |
| CSN | 4,851,341 | July 25, 1989 | Hopp, <i>et al.</i> | | | |
| CSN | 4,886,747 | December 12, 1989 | Derynck, <i>et al.</i> | | | |
| CSN | 5,571,714 | November 5, 1996 | Dasch, <i>et al.</i> | | | |
| CSN | 5,800,811 | November 1, 1998 | Hall, <i>et al.</i> | | | |
| CSN | 5,914,254 | June 22, 1999 | Mascarenhas, <i>et al.</i> | | | |
| CSN | 5,968,780 | October 19, 1999 | Fan, <i>et al.</i> | | | |
| CSN | 5,981,177 | November 9, 1999 | Demirjian, <i>et al.</i> | | | |
| CSN | 5,994,104 | November 30, 1999 | Anderson, <i>et al.</i> | | | |
| CSN | 6,037,145 | March 14, 2000 | Yabuta, <i>et al.</i> | | | |

FOREIGN PATENT DOCUMENTS

| | Number | Date | Country | Class | Sub | |
|-----|----------------|-------------------|---------|-------|-----|--|
| CSN | PCT/US96/08973 | December 12, 1996 | WIPO ✓ | | | |
| CSN | PCT/US99/14981 | January 13, 2000 | WIPO | | | |

EXAMINER:

DATE

Examiner: Initial if considered, whether or not in conformance with MPEP 609;
draw line through cite if not in conformance and not considered. Send copy.

| | | | |
|---|--|------------------------------------|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | Docket: 4239-61302 | App: Not Yet Assigned 10/6/01 |
| | | Applicant: Wolfrain and Letterio | |
| | | Filed: Herewith 19 October 2001 | Art Unit: Not Yet Assigned 10/7 |
| OTHER DOCUMENTS | | | |
| SO | | | Bentz, <i>et al.</i> , "Improved local delivery of TGF- β 2 by binding to injectable fibrillar collagen via difunctional polyethylene glycol", <i>J. Biomed. Mater. Res.</i> , 539-548, 1998 |
| SO | | | Böttinger, <i>et al.</i> , "The recombinant proregion of transforming growth factor β 1 (Latency-associated peptide) inhibits active transforming growth factor β 1 in transgenic mice," <i>Proc. Natl. Acad.</i> , 93:5877-5882, June 1996 |
| SO | | | Byrd, <i>et al.</i> , "Mechanisms for high-affinity mannose 6-phosphate ligand binding to the insulin-like growth factor II/mannose 6-phosphate receptor: negative cooperativity and receptor oligomerization," <i>J. Biol. Chem.</i> , 1:1-2, April 2000 |
| SO | | | Caltabiano, <i>et al.</i>, "Transient production and secretion of human transforming growth factor TGF-beta 2", <i>Gene</i>, 85 (2):479-88, 1989 (ABSTRACT ONLY) |
| SO | | | Chen and Wahl, "Manipulation of TGF- β to control autoimmune and chronic inflammatory disease", <i>Microbes and Infection</i> , 1:1367-1380, 1999 |
| SO | | | Dubois, <i>et al.</i> , "Processing of Transforming Growth Factor β 1 Precursor by Human Furin Convertase, <i>JBC Online</i> , 270 (18):10618-10624, 1995 |
| SO | | | Gentry, <i>et al.</i>, "Type I transforming growth factor beta: amplified expression and secretion of mature and precursor polypeptides in Chinese hamster ovary cells", <i>Mol. Cell. Biol.</i>, 7(10):3418-2427, 1987 (ABSTRACT ONLY) |
| SO | | | Gray and Mason, "Requirement for Activin A and Transforming Growth Factor- β 1 Pro-Regions in Homodimer Assembly", <i>Science</i> , 247:1328-1330, March 1990 |
| SO | | | Han, <i>et al.</i> , "Refolding of a Recombinant Collagen-Targeted TGF- β 2 Fusion Protein Expressed in <i>Escherichia coli</i> ", <i>Prot. Exp. and Purif.</i> , 11:169-178, 1997 |
| EXAMINER: | | DATE 6/2/2003 | |
| Examiner: Initial if considered, whether or not in conformance with MPEP 609; draw line through cite if not in conformance and not considered. Send copy. | | | |

CONSIDERED; DO NOT PRINT.

| | | | |
|---|---|------------------------------------|---|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | Docket: 4239-61302 | App: Not Assigned 10/17/01 |
| | | Applicant: Wolfrain and Letterio | |
| | | Filed: Herewith 19 October 2001 | Art Unit: Not Yet Assigned 10/17 |
| GU | — | — | Henis, <i>et al.</i> , "The types II and III transforming growth factor beta receptors form homo-oligomers", <i>J. Cell. Bio.</i> , 126(1):139-154, July 1994 (ABSTRACT ONLY) |
| GU | — | — | Hernan, <i>et al.</i> , "Multiple epitope tagging of expressed proteins for enhanced detection", <i>Biotechniques</i> , 28(4):789-793, April 2000 (ABSTRACT ONLY) |
| GU | — | — | Hinck, <i>et al.</i> , "Transforming growth factor beta 1: three dimensional structure in solution and comparison with the X ray structure of transforming growth factor beta 2", <i>Biochemistry</i> , 35(26):8517-8534, July 1996 (abstract only) |
| GU | — | — | Huang, <i>et al.</i> "An Active Site of Transforming Growth Factor- β , for Growth Inhibition and Stimulation", <i>J. Biol. Chem.</i> , 274(39):27754-27758, September 1999 |
| GU | — | — | Khalil, "TGF- β : from latent to active", <i>Microbes and Infection</i> , 1:1255-1263, 1999 |
| GU | — | — | Kingsley, "The TGF- β superfamily: new members, new receptors, and new genetic tests of function in different organisms", <i>Genes & Development</i> , 8:133-146, 1994 |
| GU | — | — | Knappik and Pluckthorn, "An improved affinity tag based in the FLAG peptide for the detection and purification of recombinant antibody fragments", <i>Biotechniques</i> , 17(4):754-761, October 1994 (ABSTRACT ONLY) |
| GU | — | — | Madisen, <i>et al.</i> , "Expression and Characterization of Recombinant TGF- β 2 Proteins Produced in Mammalian Cells", <i>DNA</i> , 8 (3):205-212, 1989 |
| GU | — | — | Matthews, <i>et al.</i> , "A sequential dimerization mechanism for erythropoietin receptor activation", <i>Proc. Natl. Acad. Sci. USA</i> , 93:9471-9476, September 1996 |
| EXAMINER: <i>[Signature]</i> | | DATE 6/11/2003 | |
| Examiner: Initial if considered, whether or not in conformance with MPEP 609; draw line through cite if not in conformance and not considered. Send copy. | | | |

CONSIDERED, DO NOT PRINT.

| | | | | |
|---|---|---|--|--------------------------------------|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | | Docket: 4239-61302 | App: Not Yet Assigned 10/17/01 |
| | | | Applicant: Wolfrain and Letterio | |
| | | | Filed: Herewith 19 October 2001 | Art Unit: Not Yet Assigned 1647 |
| EW | — | — | Mehta, <i>et al.</i> , "Soluble Monomeric P-Selectin Containing Only the Lectin and Epidermal Growth Factor Domains Binds to P-Selectin Glycoprotein Ligand-1 on Leukocytes", <i>Blood</i> , 90 (6):2381-2389, September 1997 | |
| EW | — | — | Möller, <i>et al.</i> , "Subcellular Localization of Epitope-Tagged Neurotrophins in Neuroendocrine Cells", <i>J. Neuro. Res.</i> , 51:463-472, 1998 | |
| EW | — | — | Oda, <i>et al. al.</i> , "A General Method for Rapid Purification of Soluble Versions of Glycosylphosphatidylinositol-Anchored Proteins Expressed in Insect Cells: An Application for Human Tissue-Nonspecific Alkaline Phosphatase", <i>J. Biochem.</i> , 126:694-699, 1999 | |
| EW | — | — | Pfaffinger and De Rubeis, "Shaker K' Channel T1 Domain Self-tetramerizes to a Stable Structure", <i>J. Biol. Chem.</i> , 270 (48):28595-28600, September 1995 | |
| EW | — | — | Qian, <i>et al.</i> , "Binding Affinity of Transforming Growth Factor- β for Its Type II Receptor Is Determined by the Column-terminal Region of the Molecule", <i>J. Biol. Chem.</i> , 271 (48):30656-30662, 1996 | |
| EW | — | — | Reichel, <i>et al.</i> , "Epitope-tagged insulin-like growth factor-I expression in muscle", <i>Dom. Anim. Endocrin.</i> , 18:337-348, 2000 | |
| EW | — | — | Reiss, "TGF- β and cancer", <i>Microbes and Infection</i> , 1:1327-1347, 1999 | |
| EW | — | — | Sporn, "TGF- β : 20 years and counting", <i>Microbes and Infection</i> , 1:1251-1253, 1999 | |
| EW | — | — | Tio and Moses, "The Drosophila TGF α homolog Spitz acts in photoreceptor recruitment in the developing retina", <i>Development</i> , 124:343-351, 1997 | |
| EXAMINER: <i>G. Miller</i> | | | DATE: 6/1/2003 | |
| Examiner: Initial if considered, whether or not in conformance with MPEP 609; draw line through cite if not in conformance and not considered. Send copy. | | | | |

| | | | | |
|---|---|---|--|------------------------------------|
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | | Docket: 4239-61302 | App: Not Assigned 10/19/01 |
| | | | Applicant: Wolfrain and Letterio | |
| | | | Filed: Herewith 19 October 2001 | Art Unit: Not Assigned 10/19/01 |
| EW | — | — | Tuan, <i>et al.</i> , "Engineering, Expression and Renaturation of Targeted TGF-Beta Fusion Proteins", <i>Conn. Tis. Res.</i> , 34 (1):1-9, 1996 | |
| EW | — | — | Vornlocher, <i>et al.</i> , "A 110-Kilodalton Subunit of Translation Initiation Factor eIF3 and an Associated 135-kilodalton Protein Are Encoded by the <i>Saccharomyces cerevisiae</i> TIF32 and TIF31 Genes", <i>J. Biol. Chem.</i> , 274 (24):16802-16812, 1999 | |
| EW | — | — | Wahl, "Introduction", <i>Microbes and Infection</i> , 1:1247-1249, 1999 | |
| EW | — | — | Wakefield, <i>et al.</i> , "Addition of a C-Terminal Extension Sequence to Transforming Growth Factor β 1 Interferes with Biosynthetic Processing and Abolishes Biological Activity", <i>Growth Factors</i> , 5:243-253, 1991 | |
| EXAMINER: | | | DATE 6/1/2003 | |
| Examiner: Initial if considered, whether or not in conformance with MPEP 609; draw line through cite if not in conformance and not considered. Send copy. | | | | |